



ChitoLyctic

Bruneau Centre for Research and Innovation . Memorial University . 230 Elizabeth Ave. St. John's, Newfoundland A1C 5S7 Canada
Ajax . Ontario L1T 3J1 Canada Telephone: 1-438-930-6453 Email: Info@chitolytic.com Website: www.chitolytic.com

CERTIFICATE OF ANALYSIS

(Post Plasma-Treatment)

Product Name:	Chitosan	Quantity:	300 Grams
Grade:	Medical, Pharmaceutical	Manufacture Date:	January 8, 2020
Source Material:	Crustacean	Testing Date:	January 24, 2020
CAS:	9012-76-4	Base Chitosan Lot No.:	381215
Storage Conditions:	<25°C, cool dry environment, well-sealed	Plasma-Treated Lot No. Number:	20-0001
		Shelf-Life:	36 months

Test Item	Specification	Results
Appearance	Off-white powder	Conform
Deacetylation (%)	≥90	Conform
Particle size (mesh)	100	Conform - 95% through 100 mesh
Viscosity (mpa.s, 20°C)	<200	75.1
pH	6.5-8.5	Conform
Moisture content (%)	≤10.0	7.6
Ash (%)	≤1.0	0.61
Insoluble in acetic (%)	≤1.0	0.10
Heavy metals (ppm)	≤10.0	Conform
As - Arsenic (ppm)	≤1.0	Conform
Pb - Lead (ppm)	≤2.0	<1.0 ppm
Cadmium	0.2 ppm	Conform
Mercury	<0.05	Conform
Total plate count (cfu/g)	≤1000	82.5
Escherichia Coli	Absent	Conform
Coliform bacteria	Absent	Conform
Salmonella Pr. 25G	Absent	Conform
Mould and Yeast	<100 cfu/g	Conform
Endotoxin (EU/g)	<100 (LAL test negative for endotoxin)	<10.0 USP <85>

Post Plasma-Treated Test Dates: February 5, 2020 and March 4, 2020

Testing Supervisor: Nicole Parks - Director of QA/QC

