

CERTIFICATE OF ANALYSIS

Product Name: Chitosan Lactate Lot Number: 22052
Grade: Biomedical, Food, Agro, Industrial Quantity: 200Kg

Source Material: Crustacean Manufacturer Date: June 29, 2022
CAS No.: 9012-76-4 Testing Date-1: June 30, 2022
Product Number: AL-10131 Expiry Date: June 28, 2025
Storage: <25°C, cool dry environment, well-sealed Shelf Life: 36 months

Test Item	Specification	Results
Appearance	Light yellow, free flowing powder	Conforms
Degree of Deacetylation (%)	≤95.0	Conforms
Viscosity (mPa.s)	<200	33.0
Lactate content (%)	35-55	42.0
Insoluble (%)	≤1.0	0.26
Residue on ignition	≤1.0	0.30
Moisture (%)	≤10.0	8.05%
рН	3.5-4.5	4.21
Heavy metals (ppm)	≤10.0	Conforms
Lead	≤2.0	Conforms
Arsenic	≤0.5	Conforms
Mercury	≤0.2	Conforms
Cadmium	≤0.5	Conforms
Microbial		
Total Aerobic (cfu/g)	<1000	<100
Yeast & Mold	<100	<30
E. Coli	Negative	Negative
Salmonella	Negative	Negative
Staphylococcus Aureus	Negative	Negative

Date: June 30, 2022

Testing Supervisor: Nicole Parks - Manager Quality Assurance & Control





